

**Catalog and Bibliography of Longhorned Beetles from the Hawaiian Islands
(Coleoptera: Cerambycidae)**

Daniel J. Heffern** - Electronic Version, 2011.2

Abstract

The genus-group and species-group names for all indigenous Cerambycidae from the Hawaiian Islands are summarized. All genus-group names, including synonyms and subgenera, are given with their type species. All species-group names and synonyms, specify their original genus. Citations are presented for each name. Complete bibliographies for all cited references are given. Indigenous Cerambycidae are treated in the first section and a list of adventive or introduced species is provided in a subsequent and separate section.

Table of Contents

Introduction	2
Acknowledgements	2
Summary of Higher Classification of Indigenous Cerambycidae	2
Catalog of Indigenous Cerambycidae from the Hawaiian Islands	4
Catalog Notes	.6
Questionable Record	.6
List of Non-Native Cerambycidae from the Hawaiian Islands	8
Bibliography	10

Introduction

About 140 taxa of Cerambycidae (species and subspecies) are indigenous to the Hawaiian Islands. Nearly all are currently assigned to the genus *Plagithmysus* Motschulsky, 1845, (Cerambycinae: Clytini) except for single representatives of Parandrinae and Prioninae.

Santos-Silva, Heffern & Matsuda (2010) reviewed the Parandrinae of the Oceanic, Australasian, Oriental and Japanese regions and placed the sole Hawaiian representative of this subfamily into its own genus, *Hawaiiandra*. The conclusion that *Hawaiiandra* is a distinct and monotypic genus was also based on studies of the American Parandrinae.

The Hawaiian *Plagithmysus* spp. evolved from a single ancestor which probably arrived early in the geologic history of the Hawaiian Islands (Gressitt & Davis, 1972). Based on collecting records, each *Plagithmysus* appears to be endemic to one island (monoisular endemism) and the larvae of each species is restricted to a particular host plant (Gressitt and Davis, 1969 & 1971). Closely related *Plagithmysus* species from different islands have been associated with closely related plant species. The first indigenous species described from the Hawaiian Islands was *Clytus attenuatus* Boisduval, 1835. The most recently described species are *P.* (s.str) *hoawae* Samuelson, 2006 and *P.* (*Neoclytarlus*) *kahului* Samuelson, 2006. Primarily due to habitat loss, some have not been collected in decades and may be extinct, like many of the indigenous bird species, especially on Oahu.

Komiya has published numerous revisions of the genera in the prionid tribe Aegosomatini, including *Aegolipton* (2005), which he restored to full generic status. Into this genus he placed *Aegolipton reflexa* (Karsch, 1881), the only indigenous Hawaiian prionid that is also the largest indigenous cerambycid in the Hawaiian Islands. There are currently 18 valid species in this genus which are found primarily in Southeast Asia. This species was formerly in the genus *Megopis*, which contained many species that are now placed in other genera. Aegosomatini is most highly evolved in the Oriental region, with species scattered from New Caledonia to islands in the Indian Ocean and into the Southern Palaearctic. Aegosomatini is absent in the New World, Australian, Papuan, Sub-Saharan African and Northern Palaearctic regions.

Catalog of Hawaiian Cerambycidae

Numerous non-native Cerambycidae are listed, of which some are well established. These species are listed in the on-line database from the Bishop Museum, which also has comprehensive information on all indigenous species.

<http://www2.bishopmuseum.org/HBS/checklist/query.asp?grp=Arthropod>

Much of the literature concerning Hawaiian Cerambycidae can be located and freely downloaded from the Internet by using a search engine. The author has many of the publications in his private library stored as pdf files which can be supplied to researchers on request.

The general format used in this catalog is as follows:

[Genus] [Author], [year]:[page # of description] (type species: *Genus species* Author, year, designation type)
[*Synonym*] [Author], [year]:[page # of description] (type species: *Genus species* Author, year, designation type)
[species] [subspecies] [Author], [year]:[page # of description] [*original genus*] [distribution]
[*synonym*] [Author], [year]:[page # of description] [*original genus*]

Acknowledgements

I would like to thank G. A. (Al) Samuelson of the Bishop Museum in Honolulu (retired) for providing literature and reviewing the original version of this work, and to Gérard Tavakilian (France) for additional comments. Numerous colleagues have provided literature to support the creation of this work. And also, my appreciation is extended to Gino Nearn for his help with Internet posting.

Summary of Higher Classification of Indigenous Cerambycidae

The subfamilies, tribes, genera and subgenera appear in the following order:

Subfamily Parandrinae

Tribe Parandrini

Hawaiiandra

Subfamily Prioninae

Tribe Aegosomatini

Aegolipton

Subfamily Cerambycinae

Tribe Clytini

Plagithmysus (s. str.)

Plagithmysus (*Aeschrithmysus*)

Plagithmysus (*Neoclytarlus*)

Plagithmysus (*Nesithmysus*)

Plagithmysus (*Paraclytarus*)

Plagithmysus (*Peleithmysus*)

Catalog of Indigenous Cerambycidae from the Hawaiian Islands

Family Cerambycidae

Subfamily Parandrinae

Tribe Parandrini

Hawaiiandra Santos-Silva, Heffern & Matsuda, 2010:53 (type species: *Parandra puncticeps* Sharp, 1878, by original designation)
puncticeps (Sharp, 1878:202) [*Parandra*] Hawaii I., Kauai I., Maui I., Molokai I., Oahu I.

Subfamily Prioninae

Tribe Aegosomatini

Aegolipton Gressitt, 1940c:22 (type species: *Cerambyx marginalis* Fabricius, 1775, by original designation)
reflexa (Karsch, 1881:7) [*Aegosoma*] Hawaii I., Kauai I., Lanai I., Maui I., Molokai I., Oahu I.

Subfamily Cerambycinae

Tribe Clytini

Plagithmysus Motschulsky, 1845b:369 (type species: *Stenopterus pulverulentus* Motschulsky, 1845a, by monotypy)
Clytarlus Sharp, 1878:206 (type species: *Clytarlus robustus* Sharp, 1878 [= *Stenopterus pulverulentus* Motschulsky, 1845a], by subsequent designation of Bridwell, 1920) {Note 1}
Callithmysus Sharp, 1896a:238 (type species: *Clytarlus microgaster* Sharp, 1879, by original designation)
Neoclytarlus Bridwell, 1920:322 (type species: *Clytarlus fragilis* Sharp, 1881, by subsequent designation of ?)
Nesithmysus Perkins, 1920:343 (type species: *Nesithmysus bridwelli* Perkins, 1920, by monotypy)
Paraclytarlus Perkins, 1927:479 (type species: *Plagithmysus (Paraclytarlus) timberlakei* Perkins, 1927, by original designation)
Aeschrithmysus Perkins, 1929:261 (type species: *Aeschrithmysus terryi* Perkins, 1929, by original designation)
Peleithmysus Gressitt, 1972b:636 (type species: *Nesithmysus forbesii* Perkins, 1921, by original designation)

Plagithmysus (Plagithmysus) Motschulsky, 1845

Clytarlus Sharp, 1878

Callithmysus Sharp, 1896

aequalis Sharp, 1896b:273 [*Plagithmysus*]

aestivus Sharp, 1896b:272 [*Plagithmysus*]

albertisi Sharp, 1897:12 [*Plagithmysus*]

attenuatus (Boisduval, 1835:485) [*Clytus*]

bilineatus Sharp, 1896a:243 [*Plagithmysus*]

bishopi bishopi Sharp, 1896a:242 [*Plagithmysus*]

bishopi gracilis Sharp, 1896a:243 [*Plagithmysus*]

blackburni (Sharp in Blackburn & Sharp, 1885:195) [*Clytarlus*]

cheirodendri Gressitt & Davis, 1969:334 [*Plagithmysus*]

collaris Sharp, 1900:107 [*Plagithmysus*]

concolor concolor Sharp, 1896a:241 [*Plagithmysus*]

concolor arachnipes Sharp, 1896b:274 [*Plagithmysus*]

concolor munroi Sharp, 1900:112 [*Plagithmysus*]

cristatus (Sharp, 1878:207) [*Clytarlus*]

cuneatus Sharp, 1896a:241 [*Plagithmysus*]

sapindi Perkins, 1933:265 [*Plagithmysus*]

darwinianus Sharp, 1896b:271 [*Plagithmysus*]

Kauai I.

Molokai I.

Oahu I.

Oahu I.

Hawaii I.

Hawaii I.

Hawaii I.

Hawaii I.

Maui I.

Maui I.

Kauai I.

Kauai I.

Kauai I.

Oahu I.

Oahu I.

Hawaii I.

Catalog of Hawaiian Cerambycidae

davisi Swezey, 1946:621 [<i>Plagithmysus</i>]	Hawaii I.
decorus Perkins, 1921:500 [<i>Plagithmysus</i>]	Hawaii I.
diana Sharp, 1900:107 [<i>Plagithmysus</i>]	Kauai I.
elegans Perkins & Sharp, 1910:648 [<i>Plagithmysus</i>]	Hawaii I.
eugeniae Gressitt & Davis, 1974:359 [<i>Plagithmysus</i>]	Mauai I.
finschi (Harold, 1880:166) [<i>Clytarlus</i>]	Mauai I.
forbesianus Gressitt, 1972b:639 [<i>Plagithmysus</i>] (replacement name for <i>Plagithmysus forbesii</i> Perkins, 1927)	Kauai I.
forbesii Perkins, 1927:471 [<i>Plagithmysus</i>] (pre-occupied by <i>Nesithmysus forbesii</i> Perkins, 1921)	
fractus Perkins & Sharp, 1910:646 [<i>Plagithmysus</i>]	Molokai I.
frater Perkins, 1921:500 [<i>Plagithmysus</i>]	Hawaii I.
funebri Sharp, 1896b:273 [<i>Plagithmysus</i>]	Mauai I.
giffardi Perkins, 1907:96 [<i>Plagithmysus</i>]	Hawaii I.
greenwelli Gressitt & Davis, 1970:567 [<i>Plagithmysus</i>]	Hawaii I.
hirtipes (Sharp, 1900:113) [<i>Callithmysus</i>]	Oahu I.
hoawae Samuelson, 2006:38 [<i>Plagithmysus</i>]	Hawaii I.
ignotus Perkins, 1916:249 [<i>Plagithmysus</i>]	Kauai I.
ilicis Gressitt, 1972a:86 [<i>Plagithmysus</i>]	Molokai I.
kawauae Gressitt & Davis, 1976b:241 [<i>Plagithmysus</i>]	Hawaii I.
koae Gressitt & Davis, 1969:340 [<i>Plagithmysus</i>]	Mauai I.
koaiae Gressitt & Davis, 1969:335 [<i>Plagithmysus</i>]	Hawaii I.
koebele i (Perkins, 1908:210) [<i>Callithmysus</i>]	Oahu I.
kohalae Perkins, 1927:473 [<i>Plagithmysus</i>]	Hawaii I.
kraussi Gressitt & Davis, 1969:339 [<i>Plagithmysus</i>]	Hawaii I.
kuhnsi Perkins, 1916:248 [<i>Plagithmysus</i>]	Oahu I.
lamarckianus Sharp, 1900:110 [<i>Plagithmysus</i>]	Hawaii I.
lanaiensis Sharp, 1896a:244 [<i>Plagithmysus</i>]	Lanai I.
loui Gressitt, 1972b:645 [<i>Plagithmysus</i>]	Mauai I.
longicollis Perkins, 1927:474 [<i>Plagithmysus</i>]	Mauai I.
mauiensis Gressitt, 1972b:644 [<i>Plagithmysus</i>]	Mauai I.
microgaster (Sharp, 1879:103) [<i>Clytarlus</i>]	Oahu I.
molokaiensis Sharp, 1927:475 [<i>Plagithmysus</i>]	Molokai I.
muiri Perkins, 1927:476 [<i>Plagithmysus</i>]	Oahu I.
newelli Sharp, 1896a:240 [<i>Plagithmysus</i>]	Mauai I.
nicotianae Gressitt & Davis, 1969:338 [<i>Plagithmysus</i>]	Mauai I.
nihoa Perkins, 1926:53 [<i>Plagithmysus</i>]	Nihoa I.
paludis Perkins, 1927:472 [<i>Plagithmysus</i>]	Kauai I.
perkinsi Sharp, 1896a:244 [<i>Plagithmysus</i>]	Hawaii I.
permundus Sharp, 1900:105 [<i>Plagithmysus</i>]	Kauai I.
perrottetiae Gressitt & Davis, 1971:71 [<i>Plagithmysus</i>]	Kauai I.
pipturi Gressitt, 1972b:639 [<i>Plagithmysus</i>]	Mauai I.
pittospori Gressitt, 1972a:85 [<i>Plagithmysus</i>]	Lanai I.
platydesmae Perkins, 1920:345 [<i>Plagithmysus</i>]	Hawaii I.
polystictus Perkins, 1933:266 [<i>Plagithmysus</i>]	Kauai I.
pulverulentus (Motschulsky, 1845a:41) [<i>Stenopterus</i>]	Oahu I.
robustus Sharp, 1878:206 [<i>Clytarlus</i>]	
pulvillatus (Karsch, 1881:9) [<i>Clytarlus</i>]	Mauai I.
rebecca e Gressitt, 1972b:643 [<i>Plagithmysus</i>]	Mauai I.
rubi Perkins, 1931:415 [<i>Plagithmysus</i>]	Mauai I.
sharpianus Perkins, 1927:475 [<i>Plagithmysus</i>]	Kauai I.
simillimus Perkins, 1931:415 [<i>Plagithmysus</i>]	Mauai I.
simplicollis Perkins & Sharp, 1910:648 [<i>Plagithmysus</i>]	Hawaii I.
solitarius Sharp, 1896a:241 [<i>Plagithmysus</i>]	Oahu I.
speculifer Sharp, 1896b:272 [<i>Plagithmysus</i>]	Mauai I.
sugawai Gressitt & Davis, 1971:72 [<i>Plagithmysus</i>]	Kauai I.
sulphurescens Sharp, 1896b:271 [<i>Plagithmysus</i>]	Hawaii I.
swezeyi Perkins, 1920:344 [<i>Plagithmysus</i>]	Hawaii I.
ukulele Gressitt, 1972a:87 [<i>Plagithmysus</i>]	Mauai I.
urerae Gressitt & Davis, 1976a:238 [<i>Plagithmysus</i>]	Mauai I.

Catalog of Hawaiian Cerambycidae

varians Sharp, 1896a:245 [<i>Plagithmysus</i>]	Hawaii I.
vicinus Sharp, 1896a:243 [<i>Plagithmysus</i>]	Hawaii I.
vitticollis vitticollis Sharp, 1896a:240 [<i>Plagithmysus</i>]	Hawaii I.
vitticollis longulus Sharp, 1896a:240 [<i>Plagithmysus</i>]	Hawaii I.
Plagithmysus (Aeschrithmysus) Perkins, 1929:261	
dubautianus (Gressitt & Davis, 1969:332) [<i>Aeschrithmysus</i>]	Maui I.
swezeyanus Gressitt & Davis, 1971:71 [<i>Plagithmysus</i>] (replacement name for <i>Aeschrithmysus swezeyi</i> Perkins, 1929)	Maui I.
<i>swezeyi</i> Perkins, 1929:262 [<i>Aeschrithmysus</i>] (pre-occupied by <i>Plagithmysus swezeyi</i> Perkins, 1920)	
terryi (Perkins, 1929:261) [<i>Aeschrithmysus</i>]	Maui I.
yoshimotoi Gressitt & Davis, 1969:343 [<i>Plagithmysus</i>]	Maui I.
Plagithmysus (Neoclytarlus) Bridwell, 1920:322	
abnormis (Sharp, 1900:102) [<i>Clytarlus</i>]	Hawaii I.
acaciae Gressitt & Davis, 1969:351 [<i>Plagithmysus</i>]	Hawaii I.
akoko Gressitt & Davis, 1976a:239 [<i>Plagithmysus</i>]	Kauai I.
atricolor (Perkins, 1933:266) [<i>Neoclytarlus</i>]	Hawaii I.
bidensae Gressitt, 1972a:89 [<i>Plagithmysus</i>]	Molokai
chenopodii (Perkins, 1938:59) [<i>Neoclytarlus</i>]	Oahu I.
claviger (Sharp, 1900:101) [<i>Clytarlus</i>]	Hawaii I.
debilis (Sharp, 1900:99) [<i>Clytarlus</i>]	Hawaii I.
decurrensae Gressitt & Davis, 1969:347 [<i>Plagithmysus</i>]	Hawaii I.
dodonaeeae (Swezey, 1946:621) [<i>Neoclytarlus</i>]	Hawaii I.
dodonaeeavorus Gressitt, 1972a:90 [<i>Plagithmysus</i>]	Molokai
dubautiae dubautiae Gressitt & Davis, 1969:352 [<i>Plagithmysus</i>]	Hawaii I.
dubautiae arboreae Gressitt & Davis, 1969:354 [<i>Plagithmysus</i>]	Hawaii I.
euphorbiae (Bridwell, 1920:323) [<i>Neoclytarlus</i>]	Oahu I.
filipes filipes (Sharp <i>in</i> Blackburn & Sharp, 1885:196) [<i>Clytarlus</i>]	Hawaii I.
filipes sophorae Gressitt & Davis, 1969:350 [<i>Plagithmysus</i>]	Hawaii I.
fragilis (Sharp, 1881:534) [<i>Clytarlus</i>]	Oahu I.
geranii (Perkins, 1931:417) [<i>Neoclytarlus</i>]	Maui I.
hardyi Gressitt, 1972a:87 [<i>Plagithmysus</i>]	Maui I.
hoikuahiwi Gressitt & Davis, 1974:362 [<i>Plagithmysus</i>]	Kauai I.
immundus Perkins & Sharp, 1910:646 [<i>Plagithmysus</i>]	Hawaii I.
indecens (Perkins, 1920:346) [<i>Clytarlus</i>]	Oahu I.
jacobii Gressitt & Davis, 1974:361 [<i>Plagithmysus</i>]	Hawaii I.
kahului Samuelson, 2006:41 [<i>Plagithmysus</i>]	Maui I.
kainaluensis (Perkins, 1931:418) [<i>Neoclytarlus</i>]	Molokai I.
longipes (Sharp, 1900:103) [<i>Clytarlus</i>]	Kauai I.
lookii lookii (Swezey, 1947:101) [<i>Neoclytarlus</i>]	Hawaii I.
lookii keanakolui Gressitt & Davis, 1969:344 [<i>Plagithmysus</i>]	Hawaii I.
lookii ukae Gressitt & Davis, 1969:344 [<i>Plagithmysus</i>]	Hawaii I.
medeirosi Samuelson & Davis, 1986:125 [<i>Plagithmysus</i>]	Maui I.
mediocris (Sharp, 1900:99) [<i>Clytarlus</i>]	Maui I.
metrosideri Gressitt & Davis, 1969:346 [<i>Plagithmysus</i>]	Kauai I.
mezoneuri (Swezey, 1946:623) [<i>Neoclytarlus</i>]	Hawaii I.
modestus (Sharp, 1879:104) [<i>Clytarlus</i>]	Maui I.
montgomeryi Gressitt & Davis, 1971:73 [<i>Plagithmysus</i>]	Hawaii I.
nodifer (Sharp, 1900:102) [<i>Clytarlus</i>]	Hawaii I.
obscurus (Sharp, 1900:100) [<i>Clytarlus</i>]	Kauai I.
pennatus (Sharp, 1881:532) [<i>Clytarlus</i>]	Maui I.
pulchrrior (Perkins, 1927:482) [<i>Neoclytarlus</i>]	Hawaii I.
railliardiae (Perkins, 1931:416) [<i>Neoclytarlus</i>]	Maui I.
rusticus Gressitt & Davis, 1969:348 [<i>Plagithmysus</i>]	Hawaii I.
smilacis (Perkins, 1927:484) [<i>Neoclytarlus</i>]	Maui I.
smilacivorus Gressitt, 1972a:88 [<i>Plagithmysus</i>]	Lanai I.
superstes (Zimmerman, 1940:479) [<i>Neoclytarlus</i>]	Oahu I.
ultimus (Perkins & Sharp, 1910:645) [<i>Clytarlus</i>]	Oahu I.
usingeri Gressitt & Davis, 1969:345 [<i>Plagithmysus</i>]	Oahu I.

Catalog of Hawaiian Cerambycidae

wattleae Gressitt & Davis, 1969:355 [<i>Plagithmysus</i>]	Maui I.
Plagithmysus (Nesithmysus) Perkins, 1920:343	
bridwelli (Perkins, 1920:343) [<i>Nesithmysus</i>]	Oahu I.
peleanus Gressitt & Davis, 1971:70 [<i>Plagithmysus</i>]	Molokai I.
swezeyellus Gressitt, 1972a:84 [<i>Plagithmysus</i>] (replacement name for <i>Nesithmysus swezeyi</i> Perkins, 1920)	Maui I.
swezeyi Perkins, 1927:485 [<i>Nesithmysus</i>] (pre-occupied by <i>Plagithmysus swezeyi</i> Perkins, 1920)	
sylvai Gressitt, 1972b:637 [<i>Plagithmysus</i>]	Maui I.
Plagithmysus (Paraclytarlus) Perkins, 1927:479	
annectans (Sharp, 1900:104) [<i>Clytarlus</i>]	Kauai I.
laticollis (Sharp, 1900:101) [<i>Clytarlus</i>]	Maui I.
fugitivus Perkins, 1927:483 [<i>Neoclytarlus</i>]	
pipturicola Perkins, 1927:481 [<i>Plagithmysus</i>]	Maui I.
podagricus Perkins, 1927:482 [<i>Plagithmysus</i>]	Hawaii I.
timberlakei Perkins, 1927:480 [<i>Plagithmysus</i>]	Oahu I.
Plagithmysus (Peleithmysus) Gressitt, 1972b:636	
alani Gressitt, 1972b:636 [<i>Plagithmysus</i>]	Maui I.
forbesi (Perkins, 1921:503) [<i>Nesithmysus</i>]	Maui I.
haasi (Perkins, 1921:504) [<i>Nesithmysus</i>]	Oahu I.
peleae (Gressitt & Davis, 1971:67) [<i>Nesithmysus</i>]	Molokai I.

Catalog Notes

- 1) Sharp (1878) described the genus *Clytarlus* along with two species: *C. robustus* and *C. cristatus*. Sharp (1896:238) subsequently designated *Clytarlus fragilis* Sharp, 1881, as the type species of *Clytarlus*. Since *C. fragilis* was not one of the original species included with the description of *Clytarlus*, its designation as type species is invalid.

Questionable Record

This single record by Breuning is probably a mis-labeled specimen or an introduced species.

Subfamily **Lamiinae**
Tribe **Apomecynini**

Falsoropica hawaiana Breuning, 1982c:10 [*Falsoropica*] "Hawaiian Islands"

List of Non-Native Cerambycidae from the Hawaiian Islands

Included in this section are non-native species which have been collected in the Hawaiian Islands. See: <http://www2.bishopmuseum.org/HBS/checklist/query.asp?grp=Arthropod> Some may not be fully established. It does not include species captured at a port of entry.

Subfamily **Prioninae**
Tribe **Ergatini**

Trichocnemis spiculatus spiculatus (LeConte) Maui, Oahu; *Native to*: USA; Canada

Subfamily **Cerambycinae**
Tribe **Xystrocerini**

Xystrocera globosa (Olivier) Hawaii, Kauai, Oahu; *Native to*: SE Asia; Borneo; Sumatra; New Guinea; Australia

Catalog of Hawaiian Cerambycidae

Phoracantha semipunctata (Fabricius)	Tribe Phoracanthini	Kauai, Oahu; <i>Native to</i> : Australia; <i>also introduced to</i> SE Asia; Europe; USA; Chile; Africa
Ceresium unicolor (Fabricius)	Tribe Callidiopini	Hawaii, Kauai, Lanai, Maui, Midway, Molokai, Niihau, Oahu; <i>Native to</i> : Asia
Curtomerus flavus (Fabricius)		Hawaii, Lanai, Maui, Oahu; <i>Native to</i> : Caribbean region
Gelonaetha hirta (Fabricius)		Kauai, Oahu; <i>Native to</i> : SE Asia
Phymatodes nitidus LeConte	Tribe Callidiini	Hawaii; <i>Native to</i> : North America
Chlorophorus annularis (Fabricius)	Tribe Clytini	Hawaii, Oahu; <i>Native to</i> : Asia; widely distributed by commerce.
Placosternus crinicornis (Chevrolat)		Hawaii, Kahoolawe, Kauai, Maui, Molokai, Oahu; <i>Native to</i> : Central America
	Subfamily Lamiinae	
Plagiohammus spinipennis (J. Thomson)	Tribe Lamiini	Hawaii, Maui, Oahu; <i>Native to</i> : Central America
Batocera davidis Fairmaire	Tribe Batocerini	Oahu; <i>Native to</i> : Asia
Batocera lineolata Chevrolat		Oahu; <i>Native to</i> : Asia
Coptops aedificator (Fabricius)	Tribe Mesosini	Maui, Oahu; <i>Native to</i> : Africa
Apomecyna saltator (Fabricius)	Tribe Apomecynini	Hawaii, Kauai, Maui, Oahu; <i>Native to</i> : SE Asia
Oopsis nutator (Fabricius)		Oahu; <i>Native to</i> : SE Asia; Oceania
Sybra alternans (Wiedemann)		Hawaii, Kauai, Lanai, Midway, Molokai, Maui, Oahu; <i>Native to</i> : SE Asia
Prosoplus bankii (Fabricius)	Tribe Pteropliini	Hawaii, Kauai, Molokai, Niihau, Oahu; <i>Also recorded from</i> : Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
Pterolophia bigibbera Newman		Kauai, Oahu; <i>Native to</i> : SE Asia
Lagocheirus araneiformis (Linné)	Tribe Acanthocinini	Oahu; <i>Native to</i> : Central America
Lagocheirus funestus (J. Thomson)		Hawaii, Oahu; <i>Native to</i> : Central America
Lagocheirus obsoletus Thomson		Hawaii, Kauai, Maui, Molokai, Oahu; <i>Native to</i> : Central America
Mimectatina meridianus (Matsushita)	Tribe Desmiphorini	Oahu; <i>Native to</i> : Asia
Aerenicopsis championi Bates	Tribe Aerenicini	Hawaii; <i>Native to</i> : Neotropics

Bibliography

- Blackburn, T. & D. Sharp. 1885. Memoirs on the Coleoptera of the Hawaiian Islands. Transactions of the Royal Dublin Society. 2(3):119-290, 2 pls.
- Boisduval, J. B. A. 1835. Voyage de découvertes de l'*Astrolabe*. Exécuté par ordre du Roi, pendant les années 1826-1827-1828-1829, sous le commandement de M. J. Dumont D'Urville. Faune entomologique de l'Océan Pacifique, avec l'illustration des insectes nouveaux recueillis pendant le voyage, deuxième partie, coléoptères et autres ordres. 716 pp. Paris.
- Breuning, S. 1982c. Diagnoses préliminaires de nouveaux Lamiinae du Muséum National d'Histoire Naturelle de Paris. (Coleoptera, Cerambycidae). Annales de la Société Entomologique de France. 18(1):9-29.
- Bridwell, J. C. 1920. A new lowland plagithmysine cerambycid from Oahu with notes on its habits (Coleoptera). Proceedings of the Hawaiian Entomological Society. 4(2):314-323.
- Davis, C. J. 1953. New host and insect records from the Island of Hawaii. Proceedings of the Hawaiian Entomological Society. 15(1):135-158.
- Duffy, E. A. 1953. The immature stages of Hawaiian Cerambycidae with a key to larvae. Proceedings of the Hawaiian Entomological Society. 15(1):135-158.
- Fullaway, D.T. & W.M. Giffard. 1919. Notes on collection of Hawaiian insects on island of Maui. Proceedings of the Hawaiian Entomological Society. 4:50-52.
- Gressitt, J. L. 1972a. New plagithmysines from Molokai, Lanai, and Maui (Col.: Cerambyc.). Pacific Insects. 14(1):83-92, 7 fig.
- Gressitt, J. L. 1972b. New plagithmysines from West Maui (Col.: Cerambyc.). Pacific Insects. 14(4):635-645, 7 fig.
- Gressitt, J. L. & C. J. Davis. 1969. Studies in the plagithmysines, endemic Hawaiian Cerambycidae (Coleopt.). Proceedings of the Hawaiian Entomological Society. 20(2):331-393. fig. 18.
- Gressitt, J. L. & C. J. Davis. 1970. A new plagithmysine beetle from sandalwood (Col. Cerambycidae). Proceedings of the Hawaiian Entomological Society. 20(3):567-569, 1 fig.
- Gressitt, J. L. & C. J. Davis. 1971. New plagithmysines from Kauai, Molokai and Hawaii (Coleopt.: Cerambycidae). Proceedings of the Hawaiian Entomological Society. 21(1):67-77, 5 fig.
- Gressitt, J. L. & C. J. Davis. 1972. Seasonal occurrence of the Hawaiian Cerambycidae (Col.). Proceedings of the Hawaiian Entomological Society. 21(2):213-221.
- Gressitt, J. L. & C. J. Davis. 1974. New plagithmysines from Kauai, Maui and Hawaii (Col.: Cerambycidae). Proceedings of the Hawaiian Entomological Society. 21(3):359-363.
- Gressitt, J.L. & C.J. Davis. 1976a. New plagithmysines from Kauai and West Maui (Coleoptera: Cerambycidae). Proceedings of the Hawaiian Entomological Society. Proceedings of the Hawaiian Entomological Society. 22(2):237-239.
- Gressitt, J.L. & C.J. Davis. 1976b. A new plagithmysine from *Ilex* on Hawaii (Coleoptera: Cerambycidae). Proceedings of the Hawaiian Entomological Society. 22(2):241-243.
- Harold, E. von. 1880. Einige neue Coleopteren. Mitteilungen der Münchener Entomologischen Vereins. 4:148-171.
- Karsch, F. 1881. Zur Käferfauna der Sandwich-, Marshall- und Gilberts-Inseln. Berliner Entomologisches Zeitschrift. 25:1-14, pl. 1.
- Komiya, Z. 2005. A synopsis of the prionine genus *Aegolipton*, new status (Coleoptera, Cerambycidae) (Revisional studies of the genus *Megopsis* sensu Lameere, 1909-7). Elytra, Tokyo. 33(1):149-181. 40 fig.
- Maehler, K. L. 1947. Notes and exhibitions. *Plagithmysus newelli* Sharp. Proceedings of the Hawaiian Entomological Society. 13(2):203.
- Motschulsky, V. 1845a. Remarques sur la collection de coléoptères russes. Bulletin de la Société Impériale des Naturalistes de Moscou. 18(1):3-127.
- Motschulsky, V. 1845b. Observations sur le Musée entomologique de l'Université impériale de Moscou. Bulletin de la Société Impériale des Naturalistes de Moscou. 18(3):332-388.
- Perkins, R. C. L. 1896. A collecting trip on Haleakala, Maui, Sandwich Islands, Hawaii. Entomologist's Monthly Magazine. 32:190-195.

Catalog of Hawaiian Cerambycidae

- Perkins, R. C. L. 1907. Insects at Kilauea, Hawaii. Proceedings of the Hawaiian Entomological Society. 1(3):89-99.
- Perkins, R. C. L. 1908. *Callithmysus koebelei* sp. nov. Proceedings of the Hawaiian Entomological Society. (5):210.
- Perkins, R. C. L. 1916. Some new Hawaiian Coleoptera. Proceedings of the Hawaiian Entomological Society. 3(3): 247-251.
- Perkins, R. C. L. 1920. Some new Hawaiian Coleoptera. Proceedings of the Hawaiian Entomological Society. 4(2):341-359.
- Perkins, R. C. L. 1921. Notes on Hawaiian Plagithmysides and Anobiides (Col.) with descriptions of new species. Proceedings of the Hawaiian Entomological Society. 4(3):493-506.
- Perkins, R.C.L. 1926. Coleoptera, weevils. Pp. 53-66. in E.H. Bryan, Jr. & Collaborators. Insects of Hawaii, Johnston Island and Wake Island. Bulletin of the Bernice P. Bishop Museum. 31:94 pp.
- Perkins, R. C. L. 1927. Notes on Hawaiian Coleoptera (Curculionidae, Proterhinidae and Cerambycidae) and descriptions of new species. Proceedings of the Hawaiian Entomological Society. 6(3):465-488.
- Perkins, R. C. L. 1929. On a new genus, with two new species, of Hawaiian Cerambycidae (Col.). Proceedings of the Hawaiian Entomological Society. 7(2):261-262.
- Perkins, R. C. L. 1931. New species of Hawaiian Cerambycidae (Col.). Proceedings of the Hawaiian Entomological Society. 7(3):415-418.
- Perkins, R. C. L. 1933. New Hawaiian Coleoptera, with notes on some previously known species. Proceedings of the Hawaiian Entomological Society. 8(2):265-272.
- Perkins, R. C. L. 1938. Another new cerambycid in Hawaii. Proceedings of the Hawaiian Entomological Society. 10(1):59.
- Perkins, R. C. L., H. Scott & D. Sharp. 1910. Coleoptera. V. Coleoptera (various). Fauna Hawaiiensis 3(6): 581-644.
- Perkins, R. C. L. & D. Sharp. 1910. Coleoptera. Supplement to Cerambycidae, Curculionidae and Proterhinidae. Fauna Hawaiiensis. 3(6):645-650.
- Samuelson, G. A. 2006. New species of plagithmysines from Maui and Hawai'i plus a significant new plant host record for a previously described species from Hawai'i (Coleoptera: Cerambycidae). Records of the Hawaii Biological Survey for 2004-2005. Part 2: Notes. Bishop Museum Occasional Papers. 88:37-44.
- Samuelson, G. A. & C. J. Davis. 1986. A new *Euphorbia*-associated plagithmysine from Maui (Coleoptera: Cerambycidae). Proceedings of the Hawaiian Entomological Society. 27:125-128.
- Santos-Silva, A; D.Heffern & K. Matsuda. 2010. Revision of Hawaiian, Australasian, Oriental, and Japanese Parandrinae (Coleoptera, Cerambycidae). Insecta Mundi. 130:1-120. 480 fig.
- Sharp, D. 1878. On some longicorn Coleoptera from the Hawaiian Islands. Transactions of the Entomological Society of London. 1878:201-210.
- Sharp, D. 1879. On some Coleoptera from the Hawaiian Islands. Transactions of the Entomological Society of London. 1879:77-105.
- Sharp, D. 1881. On some new Coleoptera from the Hawaiian Islands. Transactions of the Entomological Society of London. 1881:507-534.
- Sharp, D. 1896a. On *Plagithmysus*: A Hawaiian genus of longicorn Coleoptera. Entomologist's Monthly Magazine. 32(October):237-245.
- Sharp, D. 1896b. On *Plagithmysus*: A Hawaiian genus of longicorn Coleoptera. Entomologist's Monthly Magazine. 32(December):271-274.
- Sharp, D. 1897. On *Plagithmysus*: A Hawaiian genus of longicorn Coleoptera. - Supplement. Entomologist's Monthly Magazine. 33(January):12.
- Sharp, D. & R. C. L. Perkins. 1900. Coleoptera Phytophaga. Fauna Hawaiiensis. 2(1):91-116, pl. 6.
- Sharp, D. 1900. Coleoptera. I. Coleoptera Phytophaga. Fauna Hawaiiensis. 2(1):91-116, pl. 6.
- Southwood, T. R. E. 1960. The abundance of the Hawaiian trees and the numbers of their associated insect species. Proceedings of the Hawaiian Entomological Society. 17(2):293-303.
- Swezey, O. H. 1932. The host trees of the endemic Cerambycidae in Hawaii. Proceedings of the Hawaiian Entomological Society. 8(1):127-140.
- Swezey, O. H. 1946. Some new Cerambycidae from the Island of Hawaii (Coleoptera). Proceedings of the Hawaiian Entomological Society. 12(3):621-623.
- Swezey, O. H. 1947. A new *Neoclytarus* from *Chenopodium oahuense* (Coleoptera: Cerambycidae). Proceedings of the Hawaiian Entomological Society. 13(1):101-102.
- Swezey, O. H. 1954. Forest entomology in Hawaii. Bernice P. Bishop Museum Special Publications. 44:1-266. ill.

Catalog of Hawaiian Cerambycidae

Zimmerman, E. C. 1940. A new lowland *Neoclytarlus* from Oahu (Coleoptera: Cerambycidae).
Proceedings of the Hawaiian Entomological Society. 10(3):479-481.

Please send any comments or corrections to me by email.

Daniel J. Heffern
10531 Goldfield Ln.
Houston, TX 77064
email: titanusgiganteus(at)hotmail.com